

IN THE CLAIMS:

A complete listing of all the claims is presented herewith:

Claims 1 to 11. (Cancelled).

12. (Currently Amended).

Process for the production of a multilayer coextrudate with a plastic layer that has release properties with respect to adhesives, comprising

locating materials producing the release properties within the plastic layer, wherein a first plastic web film (2, 22) is provided in production of the coextrudate on one side of which a layer of adhesive (3, 23) is located, after which the plastic layer (4, 24) with the release properties follows, which is in turn bonded to a second plastic web film (5, 25); and

wherein the layers of the coextrudate are coextruded simultaneously; and

wherein further layers (26) are provided that are located on and bonded to both sides of the plastic web films (2,5 or 22,25),

such that both plastic web films are each provided with a further layer (26) bonded to the plastic films.

13. (Previously Cancelled).

14. (Previously Presented).

Process according to claim 12, wherein the layers are extruded simultaneously by the blown film process.

15. (Previously Presented).

Process according to claim 12, wherein the layers are produced by the cast film process.

16. (Previously Presented).

Process according to claim 12, wherein a substrate web (2, 5; 22, 25), to which the other layers are extruded in a single process operation, is provided as the first or second web.

17. (Previously Presented).

Process according to claim 12, wherein a plastic film, to which the other layers are extruded in a single process operation, is provided as the substrate web (2, 5; 22, 25).

18. (Previously Presented).

Process according to claim 12, wherein at least the substrate web is oriented.

19. (Previously Presented).

Process according to claim 18, wherein the entire coextrudate is oriented.

20. (Currently Amended).

Multilayer coextrudate produced in accordance with the process as described in claim 12, wherein at least two plastic web films (2, 5; 22, 25) are provided, between which a layer of adhesive (3, 23) and a further layer (4, 24) that has release properties with respect to the adhesive are located.

21. (Cancelled).

22. (Previously Presented).

Multilayer coextrudate according to claim 20, wherein at least part of the coextrudate structure is oriented.